



The United States of America

BEST AVAILABLE COPY



The Commissioner of Patents and Trademarks

Has received an application for a patent for a new and useful invention. The title and description of the invention are enclosed. The requirements of law have been complied with, and it has been determined that a patent on the invention shall be granted under the law.

Therefore, this

United States Patent

Grants to the person(s) having title to this patent the right to exclude others from making, using, offering for sale, or selling the invention throughout the United States of America or importing the invention into the United States of America for the term set forth below, subject to the payment of maintenance fees as provided by law.

If this application was filed prior to June 8, 1995, the term of this patent is the longer of seventeen years from the date of grant of this patent or twenty years from the earliest effective U.S. filing date of the application, subject to any statutory extension.

If this application was filed on or after June 8, 1995, the term of this patent is twenty years from the U.S. filing date, subject to any statutory extension. If the application contains a specific reference to an earlier filed application or applications under 35 U.S.C. 120, 121 or 365(c), the term of the patent is twenty years from the date on which the earliest application was filed, subject to any statutory extension.

BEST AVAILABLE COPY

Bence Lehman

Commissioner of Patents and Trademarks

Pamela J. Morton

Attest



US005670347A

United States Patent [19]

Gopal

[11] Patent Number: 5,670,347

[45] Date of Patent: Sep. 23, 1997

[54] PEPTIDE-MEDIATED GENE TRANSFER

[75] Inventor: T. Venkat Gopal, North Potomac, Md.

[73] Assignee: AMBA Biosciences LLC, Gaithersburg, Md.

[21] Appl. No.: 240,514

[22] Filed: May 11, 1994

[51] Int. Cl.⁶ C12N 15/00; C12N 5/06;
C12N 15/63[52] U.S. Cl. 435/172.1; 435/172.3;
435/240.2; 435/320.1; 935/55[58] Field of Search 435/172.1, 320.1,
435/240.2, 172.3; 935/55

[56] References Cited

U.S. PATENT DOCUMENTS

5,354,844 10/1994 Beug et al. 530/345

OTHER PUBLICATIONS

- Rothstein et al., *Blood* 65(3): 744-752, 1985.
 Lau et al. *PNAS* 81:414-418, 1984.
 Garcia-Bustos et al., "Nuclear Protein Localization", *Biochimica et Biophysica Acta*, vol. 1071:83-101, (1991).
 N. Raikhel, "Nuclear Targeting In Plants", *Plant Physiol.*, vol. 100:1627-1632, (1992).
 McNally et al., "Optimizing Electroporation Parameters For A Variety of Human Hematopoietic Cell Lines", *Biotechniques*, vol. 6:882-886, (1988).
 Michael et al., "Binding-Incompetent Adenovirus Facilitates Molecular Conjugate-Mediated Gene Transfer By The Receptor-Mediated Endocytosis Pathway", *The Journal of Biological Chemistry*, vol. 268:6866-6869, (1993).
 RHIM et al., "Neoplastic Transformation Of Human Keratinocytes By Polybrene-Induced DNA-Mediated Transfer Of An Activated Oncogene", *Oncogene*, vol. 4:1403-1409, (1989).
 Chaney et al., "High-Frequency Transfection Of CHO Cells Using Polybrene", *Somatic Cell And Molecular Genetics*, vol. 12:237-244, (1986).
 Gilboa et al., "Transfer And Expression of Cloned Genes Using Retroviral Vectors", *Biotechniques*, vol. 4:504-512, (1986).
 Stuhlmann et al., "Construction And Properties Of Replication-Competent Murine Retroviral Vectors Encoding Methotrexate Resistance", *Molecular And Cellular Biology*, vol. 9:100-108, (1989).
 Miller et al., "Improved Retroviral Vectors For Gene Transfer And Expression", *Biotechniques*, vol. 7:980-988, (1989).
 Zwiebel et al., "High-Level Recombinant Gene Expression In Rabbit Endothelial Cells Transduced By Retroviral Vectors", *Science*, vol. 243:220-222, (1989).
 Fink et al., "In Vivo Expression of β -Galactosidase In Hippocampal Neurons By HSV-Mediated Gene Transfer", *Human Gene Therapy*, vol. 3:11-19, (1992).
 Takai et al., "DNA Transfection Of Mouse Lymphoid Cells By The Combination Of DEAE-Dextran-Mediated DNA Uptake And Osmotic Shock Procedure", *Biochimica et Biophysica Acta*, vol. 1048:105-109, (1990).

Tratschin et al., "Adeno-Associated Virus Vector For High-Frequency Integration, Expression, and Rescue Of Genes In Mammalian Cells", *Molecular And Cellular Biology*, vol. 5:3251-3260, (1985).

Hermonat et al., "Use Of Adeno-Associated Virus As A Mammalian DNA Cloning Vector: Transduction Of Neomycin Resistance Into Mammalian Tissue Culture Cells", *Proc. Natl. Acad. Sci. USA*, vol. 81:6466-6470, (1984).

Miller et al., "Redesign Of Retrovirus Packaging Cell Lines To Avoid Recombination Leading To Helper Virus Production", *Molecular And Cellular Biology*, vol. 6:2895-2902, (1986).

Okada et al., "Introduction of Macromolecules Into Cultured Mammalian Cells By Osmotic Lysis Of Pinocytic Vesicles", *Cell*, vol. 29:33-41, (1982).

Holter et al., "Short Note", *Experimental Cell Research*, vol. 184:546-551, (1989).

Mannino et al., "Liposome Mediated Gene Transfer", *Biotechniques*, vol. 6:682-690, (1988).

Nicholas B. La Thangue, "DRITF1/E2F: An Expanding Family Of Heterodimeric Transcription Factors Implicated In Cell-Cycle Control", *Clonexpress, Inc.*, pp. 108-114, (1994).

Johnson et al., "Expression of Transcription Factor E2F1 Induces Quiescent Cells To Enter S Phase", *Nature*, vol. 365:349-352, (1993).

Morin et al., "Nuclear Localization of the Adenovirus DNA-Binding Protein: Requirement for Two Signals and Complementmentation During Viral Infection", *Molecular & Cellular Biology* (1989) pp. 4372-4380.

Jenster et al., "Nuclear Import of the Human Androgen Receptor", *Biochemical Journal*, vol. 293, (1993), pp. 761-768.

Van Der Krol et al., "The Basic Domain of Plant B-ZIP Proteins Facilitates Import of a Reporter Protein into Plant Nuclei", *The Plant Cell*, vol. 3, American Society of Plant Physiologists (1991), p. 667-675.

Matheny et al., "The Nuclear Localization Signal of NGFI-A Is Located within the Zinc Finger DNA Binding Domain", *Journal of Biological Chemistry*, vol. 269, No. 11, (1984) pp. 8176-8181.

Schreiber et al., "The Human Poly(ADP-Ribose) Polymerase Nuclear Localization Signal is a Bipartite Element Functionally Separate From DNA Binding & Catalytic Activity" *EMBO Jour.*, vol. 1, No. 9, (1992) pp. 3263-3269.

Primary Examiner—Douglas W. Robinson

Assistant Examiner—Thanda Wai

Attorney, Agent, or Firm—Foley & Lardner

[57]

ABSTRACT

A methodology that allows for highly efficient transfer and stable integration of DNA into both established eukaryotic cell lines and primary cells, including non-dividing cells such as human peripheral blood monocytes and macrophages, entails the use of a synthetic polypeptide comprised of a peptide domain which corresponds to a nuclear localization signal sequence and a DNA binding domain which is rich in basic amino acids, separated by a hinge region of neutral amino acid which prevents steric interference between the two domains.

14 Claims, N Drawings

BEST AVAILABLE COPY